## AMENDMENTS TO THE CLAIMS

Claims 16 and 17 are hereby withdrawn from further consideration pursuant to 37 C.F.R. 1.142(b), as being drawn to a nonelected invention. Please cancel claims 16 and 17 without prejudice. Below is a recitation of the claims and their current status.

- 1. (Original) A soil sampler liner comprising:
  - a liner member, said liner member defined by a continuous wall and having one or more reduced areas extending along at least a portion of the length of said member, said wall at said one or more reduced areas having a first thickness, said wall adjacent said one or more reduced areas having a second thickness, said second thickness being greater than said first thickness.
- 2. (Original) The soil sampler liner of claim 1, wherein said liner member is substantially transparent.
- 3. (Original) The soil sampler liner of claim 1, wherein said liner member is plastic.
- 4. (Original) The soil sampler liner of claim 1, wherein said first thickness is approximately 0.02 inches.
- 5. (Original) The soil sampler liner of claim 1, wherein said second thickness is approximately 0.05 inches.
- 6. (Original) The soil sampler liner of claim 1, wherein the width of said one or more reduced areas is approximately 0.2 inches.
- 7. (Original) The soil sampler liner of claim 1, wherein the ratio of said first thickness to said second thickness is approximately 0.4.

C

- 8. (Original) The soil sampler liner of claim 1, wherein said one or more reduced areas extend along the entire length of said liner member.
- 9. (Original) The soil sampler liner of claim 1, wherein said liner member has two of said reduced areas.
- 10. (Original) The soil sampler liner of claim 1, wherein said liner member has four of said reduced areas.
- 11. (Original) The soil sampler liner of claim 1, wherein said liner member is tubular.
- 12. (Original) The soil sampler liner of claim 11, said wall defining a generally figure-eight shape when said member is radially compressed.
- 13. (Original) The soil sampler liner of claim 11, wherein the inner diameter of said liner member is approximately 2.5 inches.
- 14. (Original) The soil sampler liner of claim 11, wherein the outer diameter of said liner member is approximately 2.6 inches.
- 15. (Original) The soil sampler liner of claim 11, wherein the outer diameter of said liner member is constant at all points along the periphery of said liner member.
- (Cancelled) A method for obtaining a soil sample comprising:
  inserting a liner member into a sampler probe, said liner member defined
  by a continuous wall and having one or more reduced areas extending along at least a
  portion of the length of said liner member, said wall at said one or more reduced
  areas having a first thickness, said wall adjacent said one or more reduced areas
  having a second thickness, said second thickness being greater than said first
  thickness;

inserting into soil said sampler probe and said liner member, whereby a soil sample is

1278431v1 - 3 -



## contained within said liner member;

withdrawing said sampler probe, said liner member, and said soil sample from said soil; removing said liner member and said soil sample from said probe rod; cutting through said wall at said one or more reduced areas along at least a portion of the

length of said liner member;

spreading said liner member to expose said soil sample; and removing said soil sample from said liner member.

17. (Cancelled) A method of packaging soil sampler-liners comprising:

radially compressing a plurality of soil-sampler liner members, each of said liner members defined by a continuous wall and having one or more reduced areas extending along at least a portion of the length of said member, said wall at said one or more reduced areas having a first thickness, said wall adjacent said one or more reduced areas having a second thickness, said second thickness being greater than said first thickness, whereby said wall defines a compact shape when said liner member has been radially compressed;

inserting said plurality of said liner members into a container for transport.

1278431v1 - 4 -